8700110

THE UNKLED SHATES OF ATTERICA

TO ALL TO WHOM THESE; PRESENTS; SHAME, COME;

Northrup King Co.

Withereas. There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLIANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or using it in producing a hybrid or different ariety therefrom, to the extent provided by the Plant Variety Protection Act tat. 1542, as amended, 7 u.s.c. 2521 et seq.)

SOYBEAN

'B117'

In Estimony Waterrot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 19th day of February in the year of our Lord one thousand nine hundred and eighty-eight.

Attost:

Xennet Gr. Evans Commissioner

Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

stary of Agriculturs

U.S. DEPARTMENT OF AGRICULTS	URE	FORM APPROVED: OMB NO. 0581-0055
AGRICULTURAL MARKETING SER	VICE	Application is required in order to determine
ADDI IOATION FOR BUILDING STORY		if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is
APPLICATION FOR PLANT VARIETY PROTE (Instructions on reverse)	CTION CERTIFICATE	held confidential until certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
Northrup King Co.	X609, W000779	B117
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
P. O. Box 959		PVPO NUMBER
Minneapolis, MN 55440	612-593-7333	8700110
6. GENUS AND SPECIES NAME 7. FAMILY NA	ME (Botanical)	DATE
7		2 april 2, 1987
Glycine max Legumino	osae	1 TIME 9:30 VA.M. P.M.
8. KIND NAME	DATE OF DETERMINATION	AMOUNT FOR FILING
시 되는 시간 시간 등을 받는 것 같아 그들은 그는 것들만 없는 말 [편]		0 \$ 180000
Soybean	March, 1986	≥ DATE
		DATE Upil 2, 1987 ANDUNT FOR CERTIFICATE
 IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM partnership, association, etc.) 	OF ORGANIZATION (Corporation,	ANDUNT FOR CERTIFICATE
- 이 사람들은 사람들이 사용하는 사람들이 되었다. 그 사람들이 되었다. 그 사람들이 되었다. - 이 사람들이 사용하는 사람들이 사용하는 사람들이 되었다 이 사람들이 사용하는 사람들이 사용하는 사람들이 사용하는 사람들이 되었다 이 사람들이 사용하는 사람들이 사용하는 사람들이 사용하는 사람들이 되었다 이 사용하는 사람들이 사용하는 사람들이 사용하는 사람들이 되었다 이 사용하는 사람들이 사용하는 사용하는 사람들이 사용하는 사람들이 되었다 이 사용하는 사용하는 사용하는 사용하는 사용하는 사용하는 사용하는 사용하는		S \$ 200 6°
Corporation		December 4, 1987
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware		12. DATE OF INCORPORATION 1986
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), I	F ANY, TO SERVE IN THIS APPLIC	ATION AND RECEIVE ALL PAPERS
Robert W. Romig	마른 남편이 많으고 모든 친구를	
Northrup King Co.		
P. O. Box 959	nuncia de deserva	dol.
Minneapolis, MN 55440	PHONE (Include are	a code): 612-593-7305
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMI a. Exhibit A, Origin and Breeding History of the Variety (See		testion Act
b. Exhibit B, Novelty Statement.	Bection 32 of the Funt Variety Fro	iection Act.)
c. Exhibit C, Objective Description of Variety (Request form	from Plant Variety Protection Offic	. 1
d. \(\begin{align*} \text{Exhibit D. Additional Description of Variety.} \)	ground family analy in the control of significant	***
e. Exhibit E, Statement of the Basis of Applicant's Ownership	ile ili 21 Vizzo e il ili 2000 il ili 1000 il ili 1000. Di	
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARI SEED? (See Section 83(a) of the Plant Variety Protection Act.)		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?		HICH CLASSES OF PRODUCTION
Yes X No	Foundation	Registered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECT		
		Yes (If "Yes," give date)
		□ No.
10. HAO THE WAR BURN DELLA STATE AND A STATE OF THE STATE	OD MADKETED IN THE CO.	X No
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE,	OR MARKETED IN THE U.S. OR	OTHER COUNTRIES ? Yes (If "Yes," give names
		of countries and dates)
		₩ No
20. The applicant(s) declare(s) that a viable sample of basic seed plenished upon request in accordance with such regulations	s of this variety will be furnished	with the application and will be re-
The undersigned applicant(s) is (are) the owner(s) of this sex		iaty and helieve(e) that the variety is
distinct, uniform, and stable as required in Section 41, and it Variety Protection Act.	s entitled to protection under the	provisions of Section 42 of the Plant
Applicant(s) is (are) informed that false representation herei	n can jeopardize protection and r	esult in penalties.
SIGNATURE OF APPLICANT		DATE
Alle Med Al	·	March 30 1547
KANATHE OF APPLICANT		1/4/2C/4 30, 1/8/
SYGNATURE OF APPLICANT		DATE
	•	

FORM LS-470 (3-86)

EXHIBIT A

Origin and Breeding History of the Variety

- 1977-79. The Northrup King soybean research group at Washington, Iowa made the cross 'S1346' x 'A1564' and advanced the population to F_5 . In September, 1979, we harvested 100 randam plants and threshed them individually.
- 1980. We grew each of the 100 plant selections in an F₆ progeny row. One of these, numbered W000779, was selected based on early maturity and agronomic appearance to be tested in a preliminary yield trial. This line was subsequently named B117.
- 1981-84. We tested B117 in replicated yield trials at several midwestern U.S. and Canadian locations and found it to yield well in comparison to other late Group 0 and early Group I varieties. We identified and confirmed the descriptive characteristics purple flowers, grey pubescence, brown pods, yellow hila, and dull seed coat luster. We tested B117 for resistance to Races 1, 2, 3, 4, and 7 of Phytophthora megasperma by inoculation of detached cotyledons and found it to be susceptible. We tested it for resistance to iron-deficiency chlorosis on calcareous soil in northwest Iowa and found it to have an intermediate reaction.

In 1984 we initiated seed increase from 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform.

1985-86. We continued to test B117 in advanced yield trials to confirm descriptive characteristics and performance.

We grew Breeder Seed of B117 in 1985 from the initial increase made in 1984. The field was rogued several times. We produced Foundation Seed of B117 in 1986. The Iowa Crop Improvement Association inspected the production field and found it to meet the standards for Foundation Seed. B117 was approved for eligibility for Certification by the National Soybean Variety Review Board on December 11, 1986.

B117 is a stable and uniform soybean variety except for seed coat peroxidase activity. Seed coats with both high and low activity are present. We have observed no other variants in six years of testing and three years of seed increase other than minor, environmentally induced variation normally encountered in a soybean variety.

We will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B-- Amended --

Novelty Statement for the Variety

Soybean variety B117 is most similar to Evans, S09-90, and Dassel. It can be differentiated from all these on the basis of reaction to Races 1 and 2 of *Phytophthora megasperma*. B117 is susceptible; Dassel, S09-90, and Evans are resistant. B117 can be further differentiated from Evans by flower color. B117 has purple flowers; Evans has white flowers. It can be further differentiated from S09-90 by pod color. B117 has brown pods while S09-90 has tan pods.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARY LAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

30185	AN (Glycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Northrup King Co.	X609, W000779	B117	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	de)		IAL USE ONLY
P. O. Box 959		PVPO NUMBER	
Minneapolis, MN 55440		870	0110
Attention: Robert W. Romig Choose the appropriate response which characterizes the var	riety in the features described		
in your answer is fewer than the number of boxes provided,			
1. SEED SHAPE:	•		
	$\left \begin{array}{cc} - \\ \end{array}\right $		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	1 1	(L/W ratio > 1.2; L/T ra	tin = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/T ratio > 1.2; T/W)	
2. SEED COAT COLOR: (Mature Seed)	· · · · · · · · · · · · · · · · · · ·		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)	
<u> </u>			
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			
2 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ack 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:		· · · · · · · · · · · · · · · · · · ·	
1 = Low 2 = High Both high and low types are present	nt.		
8. SEED PROTEIN ELECTROPHORETIC BAND:			
2 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';		'Woodworth'; 'Tracy')	
IO. LEAFLET SHAPE:			
· · · · · · · · · · · · · · · · · · ·			

FORM LMGS-470-57 (2-82)

11.	LEAFL	ET SIZE:	
	1	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12.	LEAF C	OLOR:	
	2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton' 3 = Dark Green ('Gnome'; 'Tracy')	
13.	FLOWE	R COLOR:	
÷	2	1 = White 2 = Purple 3 = White with purple throat	·
14.	POD CC	LOR:	
	2	1 = Tan 2 = Brown 3 = Black	
15.	PLANT	PUBESCENCE COLOR:	
	1	1 = Gray 2 = Brown (Tawny)	
16.	PLANT	TYPES:	
	1	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17.	PLANT	HABIT:	
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18.	MATUR	ITY GROUP:	
	4	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	7 = IV 8 = V
19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	BACII	ERIAL DISEASES:	
	Ш	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
		Bacterial Blight (Pseudomonas glycinea)	
:		Wildfire (Pseudomonas tabaci)	
	FUNGA	L DISEASES:	
•		Brown Spot (Septoria glycines)	
•	ــــــ	Frogeye Leaf Spot (Cercospora sojina)	
		Race 1 Race 2 Race 3 Race 4 Race 5	Other (Specify)
		Target Spot (Corynespora cassiicola)	
		Downy Mildew (Peronospora trifoliorum var. manshurica)	
	2	Powdery Mildew (Microsphaera diffusa)	
	2	Brown Stem Rot (Cephalosporium gregatum)	
		Stem Canker (Diaporthe phaseolorum var. caulivora)	5

19. Č	ISEAS	SE REACTION:	(Enter 0 = Not 1	rested; 1 = Susceptible; 2 = R	esistant) (Continued)		
	FUN	GAL DISEASES	: (Continued)				
	1	Pod and Stem	Blight <i>(Diaporthe</i>	phaseolorum var; sojae)			
	1	Purple Seed St	ain <i>(Cercospora k</i>	ikuchii)			
		Rhizoctonia R	oot Rot (Rhizact	onia solani)			
		Phytophthora	Rot (Phytophtho	ra megasperma var. sojae)			
	1	Race 1	1 Race 2	1 Race 3 1	Race 4 1 Race 5	1 Race 6 1 Race 7	•
	1	Race 8	1 Race 9	Other (Specify)			_
	VIRA	AL DISEASES:	· · · ·				
		Bud Blight (To	bacco Ringspot \	/irus)			
		Yellow Mosaic	(Bean Yellow Mo	osaic Virus)			
		Cowpea Mosaid	c (Cowpea Chloro	otic Virus)			
		Pod Mottle (Be	ean Pod Mottle V	irus)			
	$\overline{\Box}$	Seed Mottle (S	oybean Mosaic V	irus)			
	NEM	ATODE DISEAS	SES:				
		Soybean Cyst I	Nematode (Heter	odera glycines)			
	1	Race 1	1 Race 2	1 Race 3 1	Race 4 Other (S	pecify)	_
	同	Lance Nemato	de (Hopiolaimus	Colombus)	<u></u> .		
	Ī	Southern Root	t Knot Nematode	(Meloidogyne incognita)			
		Northern Root	t Knot Nematode	(Meloidogyne Hapla)			
	H			feloidogyne arenaria)			
	H		atode (Rotylenci				
	님		ASE NOT ON FO			·	_
20. P	HYSIO	LOGICAL RES	PONSES: (Enter	0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)		
	1	Iron Chlorosis	on Calcareous So	il			
		Other (Specify	<i></i>				
21. 11	NSECT	REACTION: (Enter 0 = Not Te	sted; 1 = Susceptible; 2 = Re	sistant)		
		Mexican Bean	Beetle <i>(Epilachna</i>	varivestis)			
		Potato Leaf Ho	opper (<i>Empoasca</i>	fabae)			-
		Other (Specify	<i>J</i>				
22. II	NDICA	TE WHICH VA	RIETY MOST CL	OSELY RESEMBLES THAT	T SUBMITTED.		
	CHAR	RACTER	NAM	E OF VARIETY	CHARACTER	NAME OF VARIETY	_
PI	ant Sha	ape	S1346		Seed Coat Luster	S1346	<u>. </u>
L	eaf Sha	pe	s1346		Seed Size	Dawson	
L	eaf Col	or	s09 - 90		Seed Shape	B152	
L	eaf Size	•	Evans	·	Seedling Pigmentation	Hodgson	-[/
							1 .

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
			CM Width	CM Length	% Protein	% Oil	SEEDS	SEEDS/ POD
123	2.0	78	4.7	10.7	44.0	21.4	14.7	2-3
121	2.9	82	4.3	11.8	43.8	22.3	15.8	2-3
	DAYS MATURITY	DAYS LODGING SCORE 123 2.0	DAYS HODGING PLANT SCORE HEIGHT 123 2.0 78	DAYS HODGING PLANT CM Width 123 2.0 78 4.7	NO. OF DAYS MATURITY SCORE PLANT HEIGHT CM Width CM Length 123 2.0 78 4.7 10.7	NO. OF DAYS MATURITY CM PLANT HEIGHT CM Width CM Length % Protein 123 2.0 78 4.7 10.7 44.0	NO. OF DAYS MATURITY CM PLANT HEIGHT CM Width CM Length % Protein % Oil 123 2.0 78 4.7 10.7 44.0 21.4	NO. OF DAYS MATURITY PLANT LODGING SCORE PLANT HEIGHT CM Width CM Length % Protein % Oil SEEDS 123 2.0 78 4.7 10.7 44.0 21.4 14.7

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D Additional Description of the Variety

Soybean variety B117 is an early Maturity Group I cultivar maturing between Evans and Hodgson 78. It exhibits long hypocotyl reaction when grown in 4.5 inches of sand at 77° F for 14 days.

EXHIBIT E

Statement of the Basis of Applicant's Ownership.

Soybean variety B117 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King is the sole owner of the variety.